

Package: npdsim (via r-universe)

May 20, 2026

Type Package

Title Simulate Demand and Attributes for New Products

Version 1.0.0

Description Simulate demand and attributes for ready to launch new products during their life cycle, or during their introduction and growth phases. You provide the number of products, attributes, time periods and/or other parameters and 'npdsim' can simulate for you the demand for each product during the considered time periods, and the attributes of each product. The simulation for the demand is based on the idea that each product has a shape and a level, where the level is the cumulative demand over the considered time periods, and the shape is the normalized demand across those time periods.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

URL <https://github.com/mohammedhichame/npdsim>

BugReports <https://github.com/mohammedhichame/npdsim/issues>

RoxygenNote 7.3.2

Imports dplyr (>= 1.1.4), tidyr (>= 1.3.1)

Suggests knitr, rmarkdown, testthat (>= 3.0.0), ggplot2

Config/testthat/edition 3

VignetteBuilder knitr

Config/pak/sysreqs libicu-dev

Repository <https://mohammedhichame.r-universe.dev>

Date/Publication 2025-04-20 13:06:34 UTC

RemoteUrl <https://github.com/mohammedhichame/npdsim>

RemoteRef HEAD

RemoteSha 7d814121bf62c357d603b48da712ef437d1f3041

Contents

attribute_sim_dep	2
attribute_sim_ind	3
demand_sim	4
npd_data_sim	5
npdsim_bass	6
shape_sim	7
shape_sim_bass	8
shape_sim_ig	8
shape_sim_random	9
shape_sim_trapezoid	9
shape_sim_triangle	10
Index	11

attribute_sim_dep	<i>Simulate the Attributes with the Assumption of Dependent Attributes</i>
-------------------	--

Description

Simulate the attributes for each product with the assumption that some of the attributes related to shapes are also related to some of the attributes of levels. We mean by dependence the fact that some attributes of a product are related at the same time to its shape and level.

Usage

```
attribute_sim_dep(
  product_shapes_and_levels,
  attributes_number,
  shape_attributes_number,
  level_attributes_number
)
```

Arguments

product_shapes_and_levels	A numeric dataframe of three columns: product_id, assigned_shape and assigned_level
attributes_number	The number of attributes
shape_attributes_number	The number of attributes assigned to shape
level_attributes_number	The number of attributes assigned to level

Value

A numeric dataframe of the following columns: product_id, assigned_shape, assigned_level and attributes (as columns)

Examples

```
attribute_sim_dep(product_shapes_and_levels=
data.frame(product_id=1:4,assigned_shape=c(1,1,2,2),
assigned_level=c(5,3,3,3)),
attributes_number=15,
shape_attributes_number=7,
level_attributes_number=4)
```

attribute_sim_ind	<i>Simulate the Attributes with the Assumption of Independent Attributes</i>
-------------------	--

Description

Simulate the attributes for each product with the assumption that the attributes of shapes are independent of the attributes of levels. We mean by independence the fact that each attribute is related to one of the following: shape, level or nothing.

Usage

```
attribute_sim_ind(
  product_shapes_and_levels,
  attributes_number,
  shape_attributes_number,
  level_attributes_number
)
```

Arguments

product_shapes_and_levels	A numeric dataframe of three columns: product_id, assigned_shape and assigned_level
attributes_number	The number of attributes
shape_attributes_number	The number of attributes assigned to shape
level_attributes_number	The number of attributes assigned to level

Value

A numeric dataframe of the following columns: product_id, assigned_shape, assigned_level and attributes (as columns)

Examples

```
attribute_sim_ind(product_shapes_and_levels=
data.frame(product_id=1:4,assigned_shape=c(1,1,2,2),
assigned_level=c(5,3,3,3)),
attributes_number=15,
shape_attributes_number=7,
level_attributes_number=4)
```

demand_sim

*Simulate the demand for new products***Description**

Simulate the demand for new products over their life cycle by specifying their shape type.

Usage

```
demand_sim(
  products_number,
  periods_number,
  shape_number,
  shape_type = "random",
  level_number,
  level_range = 1000:10000,
  noise_cv = 0.05
)
```

Arguments

products_number	Number of products
periods_number	Number of periods of the introduction and growth phases
shape_number	Number of generic shapes
shape_type	Type of shape to generate. It can take the values: "triangle", "trapezoid", "bass", "random" and "intro & growth". The type "random" picks one of the types "triangle", "trapezoid", "bass" randomly for each product. The type "intro & growth" is used for the shapes of the introduction and growth phases.
level_number	Number of generic levels
level_range	Range of values from which the level is sampled
noise_cv	The coefficient of variation of the noise added to the simulated sales

Value

A data frame that contains the following columns: product_id, shape and assigned_shape, level and assigned_level, demand_wn (demand without noise, not rounded), noise and demand. demand is the rounded value of the Max between (demand_wn+noise) and 0

Examples

```
demand_sim(products_number=100,periods_number=20,shape_number=5, level_number=20)
```

```
demand_sim(products_number=100,periods_number=20,shape_number=5, shape_type="bass", level_number=20,
level_range=1000:10000,noise_cv=0.05)
```

npd_data_sim	<i>Simulate the demand and attributes for new products</i>
--------------	--

Description

Simulate the demand and attributes for new products during their life cycle by specifying their life cycle type of shape and providing information about their attributes.

Usage

```
npd_data_sim(
    products_number,
    periods_number,
    shape_number,
    shape_type = "random",
    level_number,
    level_range = 1000:10000,
    noise_cv = 0.05,
    attribute_type = "ind",
    attributes_number = 10,
    shape_attributes_number = 5,
    level_attributes_number = 3
)
```

Arguments

products_number	Number of products
periods_number	Number of periods of the introduction and growth phases
shape_number	Number of generic shapes
shape_type	Type of shape to generate. It can take the values: "triangle", "trapezoid", "bass", "random" and "intro & growth". The type "random" picks one of the types "triangle", "trapezoid", "bass" randomly for each product. The type "intro & growth" is used for the shapes of the introduction and growth phases.
level_number	Number of generic levels
level_range	Range of values from which the level is sampled
noise_cv	The coefficient of variation of the noise added to the simulated sales
attribute_type	Type of relationship between attributes and shape and level. There can be independent attributes or dependent attributes. attribute_type takes one of the two values: "dep" and "ind". Check 'attribute_sim_dep' and 'attribute_sim_dep'.

`attributes_number`
 The number of attributes
`shape_attributes_number`
 The number of attributes assigned to shape
`level_attributes_number`
 The number of attributes assigned to level

Value

A data frame that contains the following columns: `product_id`, `demand` and `attributes`.

Examples

```
npd_data_sim(products_number=100,
             periods_number=30,
             shape_number=5,
             level_number=20)
```

```
npd_data_sim(products_number=100,
             periods_number=20,
             shape_number=5,
             shape_type="bass",
             level_number=20,
             level_range=1000:10000,
             noise_cv=0.05,
             attribute_type="ind",
             attributes_number=15,
             shape_attributes_number=7,
             level_attributes_number=5)
```

`npdsim_bass`
Calculate the Bass probability

Description

Calculate the Bass probability density function of purchase $f(t)$

Usage

```
npdsim_bass(p_param, q_param, t)
```

Arguments

<code>p_param</code>	Coefficient of innovation
<code>q_param</code>	Coefficient of imitation
<code>t</code>	A numeric vector of time periods

Value

A numeric vector of the probability density function of purchase at time t, f(t)

Examples

```
npdsim_bass(p_param=0.01,q_param=0.2, t=1:20)
```

shape_sim	<i>Generate the shape of demand</i>
-----------	-------------------------------------

Description

Generate the shape of demand for new products by specifying their life cycle shape and the length of their life cycle

Usage

```
shape_sim( periods_number, shape_number, shape_type = "random")
```

Arguments

`periods_number` Number of time periods of the products life cycle

`shape_number` Number of generic shapes

`shape_type` Type of shape to generate. It can take the values: "triangle", "trapezoid", "bass", "random" and "intro & growth". The type "random" picks one of the types "triangle", "trapezoid", "bass" randomly for each product. The type "intro & growth" is used for the shapes of the introduction and growth phases.

Value

A numeric dataframe of three columns: time, shape and assigned_shape

Examples

```
shape_sim( periods_number=20, shape_number=5)
shape_sim( periods_number=20, shape_number=5, shape_type="trapezoid")
```

shape_sim_bass	<i>Generate generic Bass shapes</i>
----------------	-------------------------------------

Description

Generate generic Bass shapes for the demand of new products during their life cycle

Usage

```
shape_sim_bass( periods_number, shape_number )
```

Arguments

periods_number Number of time periods of the products life cycle
shape_number Number of generic shapes

Value

A numeric dataframe of three columns: time, shape and assigned_shape

Examples

```
shape_sim_bass( periods_number=20, shape_number=5 )
```

shape_sim_ig	<i>Generate generic shapes for the introduction and growth phases</i>
--------------	---

Description

Generate piece-wise linear (4 segments) generic shapes for the introduction and growth phases

Usage

```
shape_sim_ig( periods_number, shape_number )
```

Arguments

periods_number Number of periods of the introduction and growth phases
shape_number Number of generic shapes

Value

A numeric dataframe of three columns: time, shape and assigned_shape

Examples

```
shape_sim_ig( periods_number=20, shape_number=5 )
```

shape_sim_random	<i>Generate random (Bass, Trapezoidal or Triangular) shapes</i>
------------------	---

Description

Generate random (Bass, Trapezoidal or Triangular) shapes for the demand of new products during their life cycle

Usage

```
shape_sim_random( periods_number, shape_number )
```

Arguments

periods_number Number of time periods of the products life cycle
shape_number Number of generic shapes

Value

A numeric dataframe of three columns: time, shape and assigned_shape

Examples

```
shape_sim_random( periods_number=20, shape_number=5 )
```

shape_sim_trapezoid	<i>Generate trapezoidal shapes</i>
---------------------	------------------------------------

Description

Generate trapezoidal shapes for the demand of new products during their life cycle

Usage

```
shape_sim_trapezoid( periods_number, shape_number )
```

Arguments

periods_number Number of time periods of the products life cycle
shape_number Number of generic shapes

Value

A numeric dataframe of three columns: time, shape and assigned_shape

Examples

```
shape_sim_trapezoid( periods_number=20, shape_number=5 )
```

shape_sim_triangle *Generate triangular shapes*

Description

Generate triangular shapes for the demand of new products during their life cycle

Usage

```
shape_sim_triangle( periods_number, shape_number )
```

Arguments

periods_number Number of time periods of the products life cycle
shape_number Number of generic shapes

Value

A numeric dataframe of three columns: time, shape and assigned_shape

Examples

```
shape_sim_triangle( periods_number=20, shape_number=5 )
```

Index

`attribute_sim_dep`, [2](#)

`attribute_sim_ind`, [3](#)

`demand_sim`, [4](#)

`npd_data_sim`, [5](#)

`npdsim_bass`, [6](#)

`shape_sim`, [7](#)

`shape_sim_bass`, [8](#)

`shape_sim_ig`, [8](#)

`shape_sim_random`, [9](#)

`shape_sim_trapezoid`, [9](#)

`shape_sim_triangle`, [10](#)